

	Couleur	Flor.	H. cm	Exp.	Humi.	Soci.	P/m2	Pot	Prix
<b>Achillea</b>									Achillée
☐ millefolium	Blanc	VI-IX	20/60	○	1 2	A	6	0.5l	5.50
<b>Achnatherum</b>									Calamagrostide argentée
☐ calamagrostis	Jaune-clair	VI-IX	90	○	1	A	2	1l	7.50
<b>Ajuga</b>									Bugle
☐ reptans	Bleu	V-VI	5/20	●○	2 3	B, C	16	0.5l	5.50
<b>Allium</b>									Ail des montagnes
☐ lusitanicum	Rose	VII-IX	10/20	○	1	A	8	0.5l	6.50
☐ schoenoprasum Ciboulette	Violet	VI-VII	20/25	○	1 2	B	11/12 cm		6.50
☐ schoenoprasum Ciboulette	Violet	VI-VII	20/25	○	1 2	B	11	1l	6.50
☐ sphaerocephalon	Violet	VI-VII	60	○	1	C	10	10	3.50
☐ sphaerocephalon	Violet	VI-VII	60	○	1	C	10	0.5l	7.50
☐ ursinum	Blanc	IV-V	15/20	●●	2	C	11	0.5l	5.50
<b>Anchusa</b>									Buglosse
☐ officinalis	Violet	VI-VIII	30/80	○	1	B	4	0.5l	5.50
<b>Anemone</b>									Anémone
☐ sylvestris	Blanc	VI-VII	20/40	●○	2	B, C	6	0.5l	6.50
<b>Anthemis</b>									Camomille
☐ tinctoria	Jaune d'or	VI-IX	40/60	○	1	B	4	0.5l	4.50
<b>Anthericum</b>									Phalangère rameuse
☐ ramosum	Blanc	VI-VII	30/60	○	1	A, B	6	0.5l	6.50
<b>Anthriscus</b>									Persil des vaches
☐ sylvestris	Blanc	IV-VI	100/120	●○	2	A, B	3	0.5l	5.50
<b>Aquilegia</b>									Ancolie
☐ atrata	Noir	V-VI	40/60	●○	2	A, B	11	0.5l	5.50
☐ vulgaris	Bleu	V-VI	40/60	●○	2	A, B	11	0.5l	5.50
<b>Artemisia</b>									Absinthe
☐ absinthium	Blanc-crème	VII	100/120	○	1	A	3	1l	6.50
<b>Aruncus</b>									Barbe de bouc
☐ dioicus	Blanc-crème	VI-VII	100/180	●●	2	A	1	1l	7.50
<b>Asarum</b>									Asarét
☐ europaeum	Pourpre	III-IV	15	●●	2	C, D	16	0.5l	6.50
<b>Asplenium</b>									Langue de Cerf
☐ scolopendrium	---	---	50	●●	2 3	B	9	1l	7.50
☐ trichomanes	---	---	15	●○	1 2	B	16	0.5l	6.50
<b>Astrantia</b>									Astrance
☐ major	Rose-tendre	VI-VII	50/70	●○	2 3	B	5	1l	6.50

	Couleur	Flor.	H. cm	Exp.	Humi.	Soci.	P/m2	Pot	Prix
<b>Athyrium</b> <span style="float: right;">Athyrium</span>									
☞ <i>filix-femina</i>		---	70	●●	2	A, B	2	1 l	7.50
<b>Briza</b> <span style="float: right;">Amourette, Pain des oiseaux</span>									
☞ <i>media</i>	Brun	V-VII	40	○	1	B	8	1 l	6.50
<b>Buglossoides</b> <span style="float: right;">Grémil pourpre bleu</span>									
☞ <i>purpureo-caerulea</i>	Bleu	IV-VI	30	●○	1 2	C	8	0.5 l	5.50
<b>Buphthalmum</b> <span style="float: right;">Oeil de boeuf</span>									
☞ <i>salicifolium</i>	Jaune d'or	VI-IX	50	●○	1 2	A, B	8	0.5 l	5.50
<b>Calamagrostis</b>									
☞ <i>varia</i>	Brun	VIII-IX	100	●○	3	A, B	1	1 l	6.50
<b>Calendula</b> <span style="float: right;">Souci officinal</span>									
☞ <i>officinalis</i>	Orange	IV-X	20/40	●○	2	A	1	0.5 l	3.50
☞ <i>officinalis</i> 'Caramel'	Saumon	IV-XI	20/40	○	2	A	1	0.5 l	3.50
<b>Campanula</b> <span style="float: right;">Campanule</span>									
☞ <i>persicifolia</i>	Bleu	VI-VIII	80	●○	1 2	A, B	11	0.5 l	5.50
☞ <i>rapunculifolia</i>	Bleu-clair	VI-VII	15/60	●○	1 2	A, B	8	0.5 l	6.50
<b>Carum</b> <span style="float: right;">Cumin</span>									
☞ <i>carvi</i>	Blanc	VI-VII	40/60	○	2	A	6	0.5 l	5.50
<b>Centaurea</b> <span style="float: right;">Centaurée</span>									
☞ <i>cyanus</i>	Bleu-foncé	VI-VIII	80/100	●○	2	E	20	0.5 l	3.50
☞ <i>jacea</i>	Rose	VI-IX	40/80	○	2	A, B	3	1 l	6.50
<b>Chenopodium</b> <span style="float: right;">Chénopode Bon-Henri</span>									
☞ <i>bonus-henricus</i>	Vert	VI-VIII	30	○	2	B	6	0.5 l	5.50
<b>Cichorium</b> <span style="float: right;">Chicorée</span>									
☞ <i>intybus</i>	Bleu	VII-IX	40/100	○	1 2	B	4	1 l	6.50
<b>Clematis</b> <span style="float: right;">Clématite des Alpes</span>									
☞ <i>alpina</i>	Bleu	V-VII	200/250	●○	1 2	A	2	1 l	21.00
☞ <i>alpina</i>	Bleu	V-VII	200/250	●○	1 2	A	2	3 l	34.00
<b>Convallaria</b> <span style="float: right;">Muguet</span>									
☞ <i>majalis</i>	Blanc	V	10	●●	2	C	16	0.5 l	5.50
<b>Cymbalaria</b> <span style="float: right;">Cymbalaire des murs</span>									
☞ <i>muralis</i>	Bleu-clair	VI-IX	20	●	2	B	9	0.5 l	5.50
<b>Daucus</b> <span style="float: right;">Carotte sauvage</span>									
☞ <i>carota</i>	Blanc	VIII-IX	40/60	○	1 2	A	6	0.5 l	5.50
<b>Dianthus</b> <span style="float: right;">Oeillet</span>									
☞ <i>carthusianorum</i>	Pourpre	VI-IX	30/50	○	1 2	B	11	0.5 l	5.50
☞ <i>deltoides</i>	Rose	VI-VIII	15/20	○	1	A, B	11	0.5 l	5.50

	Couleur	Flor.	H. cm	Exp.	Humi.	Soci. P/m2	Pot	Prix
<b>Dictamnus</b>								Fraxinelle
☞ albus	Rose	VI-VII	40/90	○	1	A	6 1 l	12.50
<b>Digitalis</b>								Digitale
☞ grandiflora	Jaune-clair	VI-VIII	60/80	○	1	B	8 1 l	6.50
☞ lutea	Jaune-clair	V-VIII	30/100	⊙	2	B	8 1 l	6.50
<b>Dipsacus</b>								Cardère
☞ fullonum	Lilas	VII-IX	30/120	○	1 2	A	3 0.5 l	5.50
<b>Dryopteris</b>								Dryoptéris
☞ affinis	---	---	80	●	1 2	A, B	1 1 l	7.50
☞ filix-mas	---	---	80	●●	2	A, B	3 1 l	7.50
<b>Echium</b>								Vipérine
☞ vulgare	Bleu-clair	VI-IX	60/80	○	1	A	6 0.5 l	5.50
<b>Euphorbia</b>								Herbe à taupe
☞ lathyris	Jaune-clair	VII-VIII	80/100	○	2	B	5 1 l	6.50
<b>Festuca</b>								Fétuque
☞ amethystina	Brun	VI-VII	25/45	○	1	B	11 0.5 l	5.50
<b>Foeniculum</b>								Fenouil
☞ vulgare	Jaune d'or	VII-IX	120/150	○	2	A	3 1 l	6.50
<b>Fragaria</b>								Fraisier
☞ vesca	Blanc	V-VI	10/15	⊙	2	C, D	25 0.5 l	4.50
<b>Galium</b>								gaillet
☞ odoratum	Blanc	V	15/20	●●	2	C	16 0.5 l	4.50
<b>Geranium</b>								Géranium
☞ nodosum	Rose-tendre	V-X	40/50	●●	2	B, C	11 0.5 l	5.50
☞ sanguineum	Violet	VI-VIII	30/40	⊙	1 2	B, C	8 0.5 l	5.50
<b>Gypsophila</b>								Gypsophile
☞ repens	Blanc	V-VII	5/10	○	1 2	A, B	11 0.5 l	5.50
<b>Helleborus</b>								Hellébore
☞ foetidus	Vert	II-IV	30/50	⊙	1 2	A, B	4 1 l	8.90
☞ niger	Blanc	I-III	15/25	⊙	2	A, B	8 1 l	8.90
<b>Hepatica</b>								Hépatique
☞ nobilis	Bleu-clair	III-IV	5/10	●●	2	B, C	25 0.5 l	5.50
<b>Hesperis</b>								Julienne des Dames
☞ matronalis	Lilas	V-VII	60/70	⊙	2	B	6 0.5 l	5.50
<b>Hyssopus</b>								Hysope
☞ officinalis	Bleu-foncé	VII-VIII	40/60	○	1	A, B	6 1 l	6.50
<b>Lathyrus</b>								Gesse de printemps
☞ vernus	Pourpre	IV-V	25/30	●	2	B	9 0.5 l	5.50

	Couleur	Flor.	H. cm	Exp.	Humi.	Soci.	P/m2	Pot	Prix
<b>Leucanthemum</b>									Marguerite
☞ vulgare	Blanc	VI-VII	50/70	○	1 2	B	11	0.5l	5.50
<b>Lunaria</b>									Monnaie du Pape
☞ annua	Violet	V-VII	70/100	●○	2	A, B	3	1l	6.50
<b>Luzula</b>									Luzule
☞ campestris	Brun	IV-V	5/20	●○	2	B, C	9	0.5l	5.50
☞ nivea	Blanc	VI-VII	20/40	●●	1 2	B, C	8	0.5l	4.50
☞ nivea	Blanc	VI-VII	20/40	●●	1 2	B, C	8	1l	5.50
☞ sylvatica	Brun	V-VI	20/30	●●	2	B, C, D	8	0.5l	5.50
<b>Lychnis</b>									Lychnis
☞ coronaria	Rouge-vif	VI-VIII	20/70	○	1	B	4	0.5l	5.50
☞ flos-cuculi	Rose	V-VII	20/50	●○	2 3	B, C	9	0.5l	5.50
<b>Malva</b>									Mauve
☞ moschata	Mauve	VII-X	50/60	○	1 2	A, B	4	1l	6.50
☞ sylvestris	Mauve	V-IX	50/100	○	1 2	A, B	3	1l	6.50
<b>Matteuccia</b>									Fougère d'Allemagne, Plume d'autruche
☞ struthiopteris	---	---	100	●●	2	A	3	1l	7.50
<b>Melissa</b>									Mélisse
☞ officinalis	Blanc	VI-VIII	50/80	●○	2	A	5	1l	6.50
<b>Myrrhis</b>									Cerfeuil musqué
☞ odorata	Blanc	VI-VII	80/120	●○	2	A, B	4	1l	9.50
<b>Origanum</b>									Origan
☞ vulgare	Violet	VII-X	30/40	○	1 2	A	11	0.5l	5.50
<b>Orlaya</b>									Orlaya à grande fleur
☞ grandiflora	Blanc	V-X	30/60	○	1	B	9	0.5l	5.50
<b>Osmunda</b>									Fougère royale
☞ regalis	---	---	120/150	●●○	2 3	A	1	1l	8.90
☞ regalis	---	---	120/150	●●○	2 3	A	1	3l	18.00
<b>Pastinaca</b>									Panais
☞ sativa	Jaune-clair	VII-X	80/100	○	2	B	8	0.5l	5.50
<b>Polemonium</b>									Valériane grecque
☞ caeruleum	Bleu	VI-VII	60/80	●○	2	A, B	9	0.5l	6.50
<b>Polygonatum</b>									Sceau de Salomon
☞ multiflorum	Blanc	V-VI	50/60	●●	2	A, B	11	1l	7.50
<b>Polypodium</b>									Polypode
☞ vulgare	---	---	40	●●	2	B	8	0.5l	7.50
<b>Potentilla</b>									Potentille
☞ recta	Jaune-clair	VI-VII	30/40	○	1	B	11	0.5l	5.50

	Couleur	Flor.	H. cm	Exp.	Humi.	Soci.	P/m2	Pot	Prix
<b>Pulsatilla</b> <span style="float: right;">Anémone pulsatile</span>									
☞ vulgaris	Violet	IV-V	25/30	○	1 2	A, B	12	0.5l	5.50
<b>Raifort - Armoracia</b> <span style="float: right;">Raifort</span>									
☞ rusticana	Blanc	VI-VII	60/100	○	2	A	2	1l	7.50
<b>Ruta</b> <span style="float: right;">Rue</span>									
☞ graveolens	Jaune-clair	VI-VII	40/60	○	1 2	A	6	1l	7.50
<b>Salvia</b> <span style="float: right;">Sauge des prés</span>									
☞ pratensis	Bleu-foncé	VI-IX	40/60	○	1 2	A, B	6	1l	6.50
☞ verticillata	Lilas	VII-IX	30/60	○	1 2	A, B	6	0.5l	5.50
<b>Sanguisorba</b> <span style="float: right;">Pimprenelle</span>									
☞ minor	Rose	VI-VII	30/70	⊙	2	B	11	0.5l	5.50
<b>Scabiosa</b> <span style="float: right;">Scabieuse</span>									
☞ columbaria	Violet	VII-IX	30/40	○	2	B	11	0.5l	5.50
☞ ochroleuca	Jaune-clair	VII-IX	60/80	○	1 2	B	11	0.5l	5.50
<b>Sesleria</b> <span style="float: right;">Seslérie</span>									
☞ caerulea	Bleu-foncé	III-VI	20/30	⊙	1 2	B	6	0.5l	5.50
<b>Silene</b> <span style="float: right;">Silène</span>									
☞ dioica	Rose	V-IX	40/60	⊙	2 3	A, B	8	0.5l	6.50
<b>Solanum</b> <span style="float: right;">Morelle douce-amère</span>									
☞ dulcamara	Violet	VI-VII	150/200	⊙	2 3	A	2	1l	7.50
<b>Symphytum</b> <span style="float: right;">Consoude</span>									
☞ officinale Consoude	Violet	VI-VIII	50/100	⊙	2 3	A	4	1l	6.50
<b>Telekia</b> <span style="float: right;">Oeil de boeuf</span>									
☞ speciosa	Jaune d'or	VI-VIII	150/200	⊙	2 3	A	1	1l	6.50
☞ speciosa	Jaune d'or	VI-VIII	150/200	⊙	2 3	A	1	3l	18.00
<b>Thymus</b> <span style="float: right;">Thym</span>									
☞ serpyllum	Rose	VI-VIII	5/10	○	1	B, C	11	0.5l	4.50
<b>Valeriana</b> <span style="float: right;">Valériane officinale</span>									
☞ officinalis	Rose-tendre	VI-VIII	70/120	○	2 3	A	3	1l	6.50
<b>Verbascum</b> <span style="float: right;">Molène</span>									
☞ nigrum	Jaune-clair	VI-VIII	40/120	○	1	A	3	1l	6.50
<b>Vinca</b> <span style="float: right;">Petite pervenche</span>									
☞ minor	Bleu-foncé	III-V	10/15	●	2	C, D, E	16	0.5l	3.50